

A

ACCESS TO EVENT RECORDER INFORMATION A-3

ACCESSING THE DATA LOG INFORMATION A-13

ACTUAL KEY 3-4

ACTUAL VALUES

 description 5-1

 organization 5-1

 viewing via software 6-12

ALARM RELAY

 setpoints 4-35

ALARMS 1-4, 5-20

 critical setpoints not stored 4-1

 current 4-36

 current THD 4-41

 miscellaneous 4-53

 power 4-43

 self-test 5-22

 voltage 4-36

 voltage THD 4-41

ANALOG INPUT 5-19

 description 2-17

 multiplexing 2-16

 setpoints 4-25

ANALOG INPUT SIMULATION 4-57

ANALOG OUTPUTS

 description 2-17

 parameter range 7-63

 parameters 4-24

 selection criteria 4-23

 setpoints 4-21

 simulation 4-56

APPLICATION NOTES A-1

APPLICATIONS 1-3

AUXILIARY RELAY

 description 2-14

AUXILIARY RELAYS

 activation priority 4-35

 setpoints 4-35

B

BAUD RATE 4-6

BROADCAST COMMAND 7-12

C

CALCULATION PARAMETERS 4-9

CAPACITOR BANK SWITCHING 4-46

CAPTURED WAVEFORM 1-7

CLEAR DATA 4-11

CLEAR ENERGY VALUES 4-11

CLEAR EVENT RECORD 4-12

CLEAR MAX DEMAND VALUES 4-11

CLEAR MAX THD VALUES 4-12

CLEAR MIN/MAX CURRENT VALUES 4-12

CLEAR MIN/MAX POWER VALUES 4-12

CLEAR MIN/MAX VOLTAGE VALUES 4-12

CLEAR PULSE COUNTER VALUE 4-12

CLOCK 5-23

 set date 4-8

 set time 4-8

 setpoints 4-8

COMMISSIONING 9-1

COMMUNICATIONS

 broadcast command 7-16

 commands 7-15

 configuration with software 6-5

 data format/rate 7-1

 DNP 4-7, 8-1

 electrical interface 7-1

 error responses 7-13

 errors 7-2

 indicators 3-2

 memory map actual values 7-17

 memory map setpoints 7-40

 modbus 4-6, 4-7, 7-1

 overview 1-4

 RS232 2-20, 6-1

 RS485 2-18, 2-19, 6-2

 serial port 2-18

 supported modbus functions 7-4

 timing 7-3

 user definable registers 7-16

CONNECTION TABLE 2-4

CONTROL OPTION 1-6

CONTROL POWER

 description 2-13

CRC-16 ALGORITHM 7-3

CRITICAL SETPOINTS NOT STORED ALARM 4-1

CT

 primary 4-20

CT INPUTS

 description 2-13

CT PRIMARY 4-20

CTs

 alternate connections for 3-wire system 2-12

 CT inputs 2-13

 neutral primary 4-20

 phase CT wiring 4-19

CURRENT ALARMS 4-36

CURRENT DEMAND TIME INTERVAL 4-10

CURRENT DEMAND TYPE 4-10

CURRENT METERING 5-2

CURRENT SIMULATION 4-55

CURRENT THD ALARM 4-41

CURRENT TRANSFORMERS

 see CTs

CURRENT UNBALANCE 4-39, 5-3

CURRENT/VOLTAGE CONFIGURATION 4-19

CYCLING POWER A-4

D

DATA ENTRY METHODS 3-7

DATA FORMAT 7-1

DATA LOG PARAMETERS A-15

DATA LOGGER 1-8, 4-33, 5-26, 6-18

DATA LOGGER IMPLEMENTATION A-12

DATA PACKET FORMAT 7-2

DATA RATE 7-1

DATE 4-8

DEFAULT MESSAGES

N

NEUTRAL CT PRIMARY 4-20
 NEUTRAL CURRENT SENSING 4-20
 NOMINAL DIRECT INPUT VOLTAGE 4-20
 NOMINAL FREQUENCY 4-20

O

ORDER CODES 1-10
 OUTPUT RELAYS
 description 2-14
 overview 1-6
 setpoints 4-34
 testing 4-54
 OVERCURRENT
 function 4-38
 neutral 4-38
 OVERFREQUENCY 4-42
 OVERVOLTAGE
 function 4-39

P

PARITY 4-6
 PHASE CT WIRING 4-19
 PHASE REVERSAL
 connections 4-40
 function 4-40
 PHASORS 5-6
 PHASORS IMPLEMENTATION A-7
 PHYSICAL DIMENSIONS 2-1
 POWER 5-7
 POWER ALARMS 4-43
 POWER ANALYSIS 1-7
 POWER DEMAND TIME INTERVAL 4-10
 POWER DEMAND TYPE 4-10
 POWER FACTOR 4-45
 POWER MEASUREMENT CONVENTIONS 5-11
 POWER QUALITY 5-24
 PQM SETUP 4-3
 PQMPC
 see SOFTWARE
 PREFERENCES 4-3
 PRINTING SETPOINTS 6-7
 PRODUCT IDENTIFICATION 2-2
 PRODUCT LABEL 2-2
 PRODUCT OPTIONS 4-18
 PROGRAMMABLE MESSAGE 4-17, 5-23
 PULSE COUNTER 5-17
 PULSE INPUT 4-31, 4-50
 PULSE INPUT APPLICATION A-18
 PULSE INPUT TIMING 5-18
 PULSE OUTPUT 4-29, 4-30
 PULSE OUTPUT APPLICATION A-11
 PULSE OUTPUT TIMING 4-30
 PULSE TOTALIZER APPLICATION A-19

R

REACTIVE POWER 4-44
 READING LONG INTEGERS FROM MEMORY MAP.... A-16
 REAL POWER 4-44
 REAR TERMINALS 2-5
 RELAY INDICATORS 3-3
 RESET KEY 3-5
 REVISION 2-3
 software 2-3
 REVISION HISTORY 2-3
 RS232 CONNECTION 2-20
 RS485 COMMUNICATIONS WIRING 2-19
 RS485 SERIAL PORTS 2-18

S

S3 OUTPUT RELAYS 4-34
 SCADA ENTRY 3-7
 SECURITY
 setpoint access 3-7, 4-4
 SELF TEST ALARM 5-22
 SERIAL PORT 2-18
 SERIAL PORTS 4-6
 SETPOINT ACCESS 2-15, 4-4, 4-5
 SETPOINT ACCESS SECURITY 3-7
 SETPOINT DEFAULTS 4-12
 SETPOINT ENTRY 4-1, 6-11
 SETPOINT KEY 3-4
 SETPOINT MESSAGE ORGANIZATION 4-2
 SETPOINTS
 loading 6-12
 printing 6-7
 saving 6-10
 SETPOINTS TABLE 9-1
 SETUP SETPOINTS 4-3
 SIMULATION
 analog input 4-57
 analog outputs 4-56
 current 4-55
 switch inputs 4-58
 voltage 4-55
 SINGLE LINE DIAGRAM 1-3
 SINGLE PHASE CONNECTION 2-11
 SOFTWARE
 configuration 6-1
 INSTALLATION 6-3
 loading setpoints files 6-12
 menu structure 6-6
 overview 1-9, 6-1
 printing setpoint files 6-7
 upgrading 6-4
 SOFTWARE VERSIONS 5-31
 SPECIFICATIONS 1-11
 STATUS INDICATORS 3-2
 STORE KEY 3-4
 SWITCH INPUT NAME 4-28
 SWITCH INPUTS
 description 2-15
 name 4-28
 overview 1-6
 setpoints 4-27, 4-28

INDEX

SWITCH INPUTS SIMULATION4-58
SWITCH STATUS5-22

T

TABLE LIST B-1
TARIFF PERIOD4-10
TECHNICAL SPECIFICATIONS1-11
TERMINAL CONNECTIONS2-4
TERMINALS2-4, 2-5
TEST LEDs4-54
TEST OUTPUT RELAYS4-54
THD4-41, 5-25
TIME4-8, 4-52
TOTAL HARMONIC DISTORTION4-41, 5-25
TRACE MEMORY6-16
 setpoints4-14
 trigger modes4-15
 triggers4-15
TRACE MEMORY CAPTURE1-9
TRACE MEMORY TRIGGERS1-8
TRANSDUCER1-5
TRIGGERED TRACE MEMORY RESOLUTIONA-9

U

UNBALANCE
 current5-3
 voltage4-39, 5-5
UNDERCURRENT4-38
UNDERFREQUENCY4-42
UNDERVOLTAGE4-38
UPGRADING FIRMWARE6-7
USER MAP

 printing6-7
USER-DEFINABLE MEMORY MAP7-14, 7-18

V

VALUE KEYS3-6
VOLTAGE ALARMS4-36
VOLTAGE METERING5-4
VOLTAGE SIMULATION4-55
VOLTAGE THD ALARM4-41
VOLTAGE TRANSFORMERS
 see VTs
VOLTAGE UNBALANCE4-39, 5-5
VT INPUTS2-13
VT NOMINAL SECONDARY4-20
VT RATIO4-20
VT WIRING4-20
VTs
 inputs2-13
 nominal secondary4-20
 ratio4-20
 wiring4-20

W

WARRANTYC-1
WAVEFORM CAPTURE6-13
WIRING DIAGRAM
 3-wire delta (2 VTs)2-9
 3-wire direct (no VTs)2-10
 4-wire wye (2 VTs)2-7
 4-wire wye (3 VTs)2-6
 4-wire wye direct (no VTs)2-8

The latest product information for the PQM relay is available on the Internet via the GE Power Management home page:

<http://www.GEIndustrial.com/pm>



Privacy Policy | Terms and Conditions © 1997, 1998, 1999 General Electric Company

[Click here for viewers download page.](#)

This site provides access to the following customer services:

- Digital Products Directory
A brief description of products can be viewed online.
- Product Catalog
Individual product brochures can be downloaded and printed
- Product Selector Guide
A graphical tool for finding the product you are interested in
- Sales Offices
A complete listing of world-wide sales offices
- Technical Support
Complete contact information is available
- Instruction Manuals
Manuals for many products are now available online
- GE Product Software
The latest working versions of product software
- Technical Drawings
Many technical drawings are available in either AutoCAD, CorelDRAW, or PDF formats.
- Order Codes
Order codes for many products can be downloaded and printed
- Technical Publications
Papers related to power management

Much more is also available. Visit us online at: **www.GEIndustrial.com/pm**.